

NIESA

2017 Responses

1st Quarter Jan-Mar	2nd Quarter Apr-Jun	3rd Quarter Jul-Sept	4th Quarter Oct-Dec	Total for Year
---------------------------	---------------------------	----------------------------	---------------------------	-------------------

Fire

<i>Other</i> -----	1	0	0	0	1
<i>Structure Fire</i> -----	21	0	0	0	21
<i>Fire in mobile property used as structure</i> -----	0	0	0	0	0
<i>Mobile property (vehicle)</i> -----	2	0	0	0	2
<i>Natural vegetation</i> -----	1	0	0	0	1
<i>Outside rubbish</i> -----	1	0	0	0	1
<i>Special outside fire</i> -----	0	0	0	0	0
<i>Cultivated vegetation, crop</i> -----	0	0	0	0	0

Overpressure Rupture, Explosion Overheat (no fire)

<i>Other</i> -----	0	0	0	0	0
<i>From steam</i> -----	0	0	0	0	0
<i>From air or gas</i> -----	0	0	0	0	0
<i>Chemical reaction</i> -----	0	0	0	0	0
<i>Explosion (no fire)</i> -----	0	0	0	0	0
<i>Excessive heat, scorch burns with no ignition</i> -----	0	0	0	0	0

Rescue & Emergency Medical Service Incident

<i>Other</i>	0	0	0	0	0
<i>Medical assist</i>	11	0	0	0	11
<i>EMS incident</i>	12	0	0	0	12
<i>Lock in</i>	0	0	0	0	0
<i>Search for lost person</i>	0	0	0	0	0
<i>Extrication</i>	0	0	0	0	0
<i>Water or ice rescue</i>	0	0	0	0	0
<i>Electrical rescue</i>	0	0	0	0	0
<i>EMS standby</i>	0	0	0	0	0

Hazardous Condition (no fire)

<i>Other</i>	0	0	0	0	0
<i>Combustible/flammable spills & leaks</i>	1	0	0	0	1
<i>Chemical release, reaction, or toxic condition</i>	0	0	0	0	0
<i>Radioactive condition</i>	0	0	0	0	0
<i>Electrical wiring/equipment</i>	27	0	0	0	27
<i>Biological</i>	0	0	0	0	0
<i>Accident, potential accident</i>	0	0	0	0	0
<i>Explosive, bomb removal</i>	0	0	0	0	0
<i>Attempted burning, illegal action</i>	0	0	0	0	0

Service Call

<i>Other</i>	0	0	0	0	0
<i>Person in distress</i>	0	0	0	0	0
<i>Water problem</i>	0	0	0	0	0
<i>Smoke, odor problem (removal)</i>	1	0	0	0	1
<i>Animal problem or rescue</i>	0	0	0	0	0
<i>Public service assistance</i>	0	0	0	0	0
<i>Unauthorized burning</i>	0	0	0	0	0
<i>Cover assignment, standby, move up</i>	0	0	0	0	0

Good Intent Call

<i>Other</i>	0	0	0	0	0
<i>Dispatched and canceled enroute</i>	8	0	0	0	8
<i>Wrong location, no emergency found</i>	9	0	0	0	9
<i>Controlled burning</i>	0	0	0	0	0
<i>Vicinity alarm (incident in other location)</i>	0	0	0	0	0
<i>Steam, other gas mistaken for smoke</i>	1	0	0	0	1
<i>EMS call where party has been transported</i>	0	0	0	0	0
<i>HazMat release investigation w/no HazMat</i>	0	0	0	0	0

False Alarm & False Call

<i>Other</i>	0	0	0	0	0
<i>Malicious, mischievous false alarm</i>	0	0	0	0	0
<i>Bomb scare</i>	0	0	0	0	0
<i>System or detector malfunction</i>	1	0	0	0	1
<i>Unintentional system/detector operation</i>	0	0	0	0	0
<i>Biohazard scare</i>	0	0	0	0	0

Severe Weather & Natural Disaster

<i>Other</i> -----	0	0	0	0	0
<i>Earthquake assessment</i> -----	0	0	0	0	0
<i>Flood assessment</i> -----	0	0	0	0	0
<i>Wind storm, tornado/hurricane assessment</i> -----	3	0	0	0	3
<i>Lightning strike (no fire)</i> -----	0	0	0	0	0
<i>Standby</i> -----	0	0	0	0	0

Special Incident Type

<i>Other</i> -----	0	0	0	0	0
<i>Citizen complaint</i> -----	0	0	0	0	0

<u>Total</u> -----	100	0	0	0	100
--------------------	-----	---	---	---	-----

Total runs includes 2 exposures.

Mutual Aid

<i>Given</i> -----	18	0	0	0	18
<i>Recieved</i> -----	4	0	0	0	4

